


Best. Nr. 441 075

Prototyping Matrix Board, 125 x 73 x 1.6 mm, 2.54 x 2.54 mm pitch



Base Material	Phenolic resin paper
FR material grade	FR1
Number of sides	Single sided
Dimension	125 x 73mm ± 1mm
Board thickness	1.6mm ± 0.1
Number of hole	1092 (39 x 28)
Hole diameter	ø1mm ± 0.1
Hole pitch	2.54 x 2.54 mm
Surface technique	Subtractive
Surface finishing	OSP
Copper thickness	35µm (1oz)
Heat resistance	130°C max.
Solderability	260°C at 3sec.
Flammability	94V-0
Surface Resistivity	1.0 x 10 ⁶ Ω
Volume Resistivity	1.0 x 10 ⁸ Ω / cm