

Für Wand- oder Hutschienenmontage

UNIVERSAL INSTALLATIONS-GEHÄUSE



Ansicht liegend



Ansicht Rückseite

EINSATZBEREICHE

Entwickelt für Überwachungsanlagen, Alarmsysteme und Prozesssteuerungen. Im Ober- und Unterteil integrierte Dome für Leiterplattenmontage. Das Gehäuse verfügt über diverse Kabeldurchbrüche und Zugentlastungen.

Lieferumfang:

Gehäuse, Befestigungsschrauben für Zugentlastung.

Es gelten unsere allgemeinen Liefer- und Zahlungsbedingungen. Technische Änderungen und Irrtümer vorbehalten. © Copyright by H-TRONIC GmbH, Hirschau. Nachdruck, auch auszugsweise, nur mit Genehmigung des Herausgebers.


TECHNISCHE DATEN

- Abmessung (B x H x T):
140 x 170 x 71 mm
- Material: ABS
- Farbe grau, RAL 9003
- Schutzart: IP 20

Art.- Nr. 52 34 00


EVK € 19,95 inkl. MwSt

Technische Zeichnungen umseitig ↪



REV	Date	Modification Detail
-----	------	---------------------

FILE NAME	FILE NO	TITLE	Top housing (no hole)	
PART NO		TOLERANCE	REV	0
DRAWN	DATE	PROOFREAD	DATE	
CHECKED	DATE	APPROVED	DATE	
MATERIAL	UNIT	MATERIAL	mm	SCALE
Fireproof ABS		PAGE		NO SCALE



REV	Date	Modification Detail

FILE NAME			TITLE								
FILE NO	PART NO	DRAWN	DATE	PROOFREAD	DATE	CHECKED	DATE	APPROVED	DATE		
			TOLERANCE			MATERIAL			Bottom housing		
						Fingerprint ABS			REV		
						mm			PAGE		
						SCALE			NO SCALE		
						SCALE			NO SCALE		